

**Polish Chitin Society**

**PROGRESS ON CHEMISTRY  
AND APPLICATION  
OF CHITIN AND ITS DERIVATIVES  
(PCACD)**

**Volume XXIII**

**Łódź, Poland  
2018**

**All rights reserved**

**Editor-in-Chief: Małgorzata M. Jaworska**

Faculty of Chemical and Process Engineering,  
Warsaw University of Technology,  
ul. Waryńskiego 1, 00-645 Warsaw, Poland  
e-mail: malgorzata.jaworska@pw.edu.pl

**International Editors:**

R. Brzezinski; Faculty of Science, University of Sherbrooke, Canada  
C. M. Caramella, University of Pavia, Italy  
H. Kusaoka; Fukui University of Technology, Japan  
H. Pospieszny; Institute of Plant Protection, Poland  
S. Rossi, University of Pavia, Italy  
G. A. F. Roberts; University of Nottingham, United Kingdom  
S. Senel; Faculty of Pharmacy, Hacettepe University, Turkey  
V. Varlamov; Russian Academy of Science, Russia

**ISSN 1896-5644**

©Copyright by the Polish Chitin Society

Printed by: Media-Press, Lodz, Poland

## CONTENT

<b>Review</b>	
<b>K. Piekarz, M. Tylman, Z. Modrzejewska</b>	<b>5</b>
Application of chitosan-graphene oxide nanocomposites in medical science: a review	
<b>D. Biniaś, W. Biniaś, J. Janicki</b>	<b>25</b>
Formation of fibers and sheres from chitin solution	
<b>P. Bugajska, U. Filipkowska, T. Jóźwiak, M. Kuczajowska-Zadrożna</b>	<b>33</b>
The influence of chitosan flake deacetylation degree on orthophosphate sorption efficiency from aqueous solutions	
<b>R. Czechowska-Biskup, RA. Wach, JM. Rosiak, P. Ułański</b>	<b>45</b>
Procedure for determination of the molecular weight of chitosan by viscometry	
<b>NN. Drozd, YS. Logvinova, BTs. Shagdarova, AV. Il'ina, VP. Varlamov</b>	<b>55</b>
The inhibition of human platelet aggregation by a low-molecular weight chitosan	
<b>U. Filipkowska, T. Jóźwiak, P. Bugajska, M. Kuczajowska-Zadrożna</b>	<b>66</b>
The influence of chitin amination on the effectiveness of RB5 and RY84 dye sorption	
<b>M. Gierszewska, J. Ostrowska-Czubenko, E. Chrzanowska</b>	<b>76</b>
Characteristics of ascorbic acid release from TPP-crosslinked chitosan/alginate polyelectrolyte complex membrane	
<b>T. Jóźwiak, U. Filipkowska, P. Bugajska, M. Kuczajowska-Zadrożna, A. Mielcarek</b>	<b>88</b>
The influence of the deacetylation degree of chitosan in the form of flakes on the effectiveness of nitrates V sorption from aqueous solutions	
<b>B. Kochańska, M. Łukaszewska, J. Ochocińska</b>	<b>97</b>
Determination of the hydrolytic activity of whole saliva using chitosan ascorbate as a substrate	



<b>M. Konovalova, BTs. Shagdarova, A. Zubareva, A. Generalov, M. Grechikhina, E. Svirshchevskaya</b>	<b>103</b>
Development of mucoadhesive chitosan-based drug delivery system	
<b>EE. Kuprina, EI. Kiprushkina, IA. Shestopalova, AN. Yakkola, AN. Manuylov, NV. Odegova, EE. Shcherbakova, AI. Mushits</b>	<b>114</b>
Research of the influence of chitin-containing food additive on the rheological properties and the biological value of minced fish	
<b>K. Małolepsza-Jarmolowska</b>	<b>120</b>
The effect of a carboxymethylcellulose sodium salt on the properties of hydrophilic powders containing a lactic acid-chitosan complex	
<b>K. Małolepsza-Jarmolowska</b>	<b>130</b>
Pharmaceutical assessment of gynecological powders with sodium alginatecontaining a lactic acid-chitosan complex	
<b>J. Meler, B. Grimling, M. Szczęśniak, B. Karolewicz, P. Biernat</b>	<b>140</b>
Atorvastatin adsorption studies on chitosans in an <i>in vitro</i> pharmaceutical model	
<b>A. Pestov, A. Mekhaev, Y. Privar, N. Prokuda, E. Modin, S. Bratskaya</b>	<b>149</b>
Screening of the catalytic activity of Pd <sup>0</sup> and Pd <sup>2+</sup> - supported on chitosan beads and cryogels	
<b>K.Przykaza, M.Jurak, AE. Wiącek</b>	<b>159</b>
Wetting properties of chitosan modified and plasma treated peek surfaces	
<b>IA. Shestopalova, VS. Kolodyaznaya, EI. Kiprushkina, EE. Kuprina, EA Rogozina</b>	<b>170</b>
Functional-techological properties of meat- and-vegetable emulsions with the addition of chitosan derivatives	
<b>M. Szczęśniak, B. Grimling, J. Meler, B. Karolewicz</b>	<b>179</b>
Application of chitosan in the formulation of dermatological hydrogels prepared on the basis of macromolecular compounds	
<b>M. Wiśniewska-Wrona, M. El Fray</b>	<b>185</b>
Functional three-component polymeric biocomposites for the treatment of bedsores	
<b>Guide for Manuscript Preparation</b>	<b>209</b>

